

# • 8028B METAL SET





Dimensions	5,7 x 3,15 m
Safe zone	6,2 x 5,8 m
Total height	2,0 m
Free fall height	2,0 m
Age	3+
<b>Conformity with PN-EN 1176</b>	YES
Platform	1x 1,0 m
Slide	1x 1,0 m




### www.newplay.com.vn

## page 1 of 2



## •8028B METAL SET



Set contents:	
Module:	Qty:
201.63 SN_W3_1000	1
205.06 SN_WWA_1000	1
224.03 SN_SL_1000	1
228.08 SN_DWS_1000_S	1
3605S S_SZ	1
3629S S_DPO	1

	Galvanized and powder coated steel	$\checkmark$
Construction	Stainless steel	
	Square 90x90 glued laminated timber, impregnated	
Connectors	Stainless and galvanized	$\checkmark$
-	Polyethylene plastic (HDPE)	$\checkmark$
Decorative elements	Polycarbonate (PC)	
elements	Hardwood plywood painted with certified chalkboard paint	
Metal	Galvanized and powder coated steel	$\checkmark$
elements	Stainless steel	$\checkmark$
Slide	Stainless steel with polyethylene plastic (HDPE)	$\checkmark$
	Whole polyethylene plastic (LLDPE)	
	Whole stainless steel	
Ropes	Polypropylene rope with steel core	$\checkmark$
Rope connectors	Aluminum and polyamide	$\checkmark$
Caps	Polyamide	$\checkmark$
Platforms	Polyethylene plastic (HDPE) with antiskid layer	$\checkmark$
Platforms	Grooved board made of solid wood	
Anchoring	Construction elements - 800 mm in ground	$\checkmark$
	Powder coated steel post - 800 mm in ground	
Chain	Stainless steel	$\checkmark$
Chain	Galvanized steel	
Slings	Stainless steel with bearings	$\checkmark$
	Flat with aluminum core, covered with rubber, certified	
Seats	Bucket with aluminum core, covered with rubber, certified	
	Rope "Birds nest" with metal core, certified	
Spring	20 x 200 x 400 mm - certified	

In relation to free fall height / HIC, norm PN-EN 1176-1 allow the following impact absorbing surfaces.

Materiał	Grain size [mm]	Depth [mm]	Critical fall height [mm]
Turf	-	-	≤1000
Bark 20 - 80	20 20	200	≤2000
	20 - 80	300	≤3000
Wood chips 5 -	5 - 30	200	≤2000
	5 - 50	300	≤3000
Sand	Sand 0,2 - 2	200	≤2000
Sand 0,2 - 2	300	≤3000	
Gravel	I 2 - 8	200	≤2000
		300	≤3000
Other	Other as tested to HIC (see EN 1177)		as tested

It is required to put particular emphasis on the level of loose surface material, fill in to the proper level regularly and remove the items that may cause injury (glass, loose stones, sticks and other loose objects).

page 2 of 2

Proposal visualisation. Colors can be different. Ask for available options.

#### www.newplay.com.vn