

•8308B METAL SET



• Technical data:

Dimensions	3,4 x 2,55 m	
Safe zone	5,9 x 5,3 m	
Total height	2,3 m	
Free fall height	0,8 m	
Age	1+	
Conformity with PN-EN	1176 YES	
Platform	orm 1x 0,8 m; 1x 0,6 m	
Slide	1x 0,8 m; 1x 0,6 m	



www.newplay.com.vn

page 1 of 2

Technical Information



8308B METAL SET 5900 3400 5300 2550

Set contents:		
Module:	Qty:	
0010.0104.01 LM_B_PSUP	1	
201.111 SN_W2_S_600	1	
203.20.04 SN_B_PLOTS_P	1	
224.01 SN_SL_600	1	
224.02 SN_SL_800	1	
267.02 SN_SDPS	1	
269.0800 SN_DS_800	1	
271.04 SN_RSK_800_2	1	
274.01 SN_SCH_HD_600	1	

	Galvanized and powder coated steel	\checkmark
Construction	Stainless steel	
	Square 90x90 glued laminated timber, impregnated	
Connectors	Stainless and galvanized	\checkmark
Decorative elements	Polyethylene plastic (HDPE)	\checkmark
	Polycarbonate (PC)	
	Hardwood plywood painted with certified chalkboard paint	
Metal	Galvanized and powder coated steel	\checkmark
elements	Stainless steel	\checkmark
Slide	Stainless steel with polyethylene plastic (HDPE)	\checkmark
	Whole polyethylene plastic (LLDPE)	
	Whole stainless steel	
Ropes	Polypropylene rope with steel core	
Rope connectors	Aluminum and polyamide	
Caps	Polyamide	
Platforms	Polyethylene plastic (HDPE) with antiskid layer	\checkmark
	Grooved board made of solid wood	
Anchoring	Construction elements - 800 mm in ground	\checkmark
	Powder coated steel post - 800 mm in ground	
Chain	Stainless steel	
	Galvanized steel	
Slings	Stainless steel with bearings	
Seats	Flat with aluminum core, covered with rubber, certified	
	Bucket with aluminum core, covered with rubber, certified	
	Rope "Birds nest" with metal core, certified	
Spring	20 x 200 x 400 mm - certified	

In relation to free fall height / HIC, norm PN-EN 1176-1 allow the following impact absorbing surfaces.

Materiał	Grain size [mm]	Depth [mm]	Critical fall height [mm]
Turf	-	-	≤1000
Pork	Bark 20 - 80	200	≤2000
Dark		300	≤3000
Wood chips	5 - 30 -	200	≤2000
		300	≤3000
Sand 0,2 - 2	02-2	200	≤2000
	0,2 - 2	300	≤3000
Gravel	el 2 - 8 -	200	≤2000
		300	≤3000
Other	as tested to HIC (see EN 1177)		as tested

Proposal visualisation. Colors can be different. Ask for available options

It is required to put particular emphasis on the level of loose surface material, fill in to the proper level regularly and remove the items that may cause injury (glass, loose stones, sticks and other loose objects).

www.newplay.com.vn

page 2 of 2