Technical Information



8500B METAL SET



Technical data:


3,4 x 2,0 m
5,9 x 5,0 m
2,9 m
1,0 m
1+
YES
1x 1,0 m
1x 1,0 m



Technical Information



8500B METAL SET



Set contents:			
Module:	Qty:		
0020.0101 RO_B_PKO	1		
0020.0102 RO_B_PD	1		
0020.0103.1000 RO_B_BUL_R_1000	1		
201.03 SN_W4_1000	1		
224.03 SN_SL_1000	1		
227.07 SN_PS6K	1		
274.03 SN_SCH_HD_1000	1		

	Galvanized and powder coated steel	√		
Construction	Stainless steel			
	Square 90x90 glued laminated timber, impregnated			
Connectors	Stainless and galvanized			
Decorative elements	Polyethylene plastic (HDPE)	√		
	Polycarbonate (PC)	√		
elements	Hardwood plywood painted with certified chalkboard paint			
Metal	Galvanized and powder coated steel	√		
elements	Stainless steel			
	Stainless steel with polyethylene plastic (HDPE)	√		
Slide	Whole polyethylene plastic (LLDPE)			
	Whole stainless steel			
Ropes	Polypropylene rope with steel core	√		
Rope connectors	Aluminum and polyamide			
Caps	Polyamide			
D1 16	Polyethylene plastic (HDPE) with antiskid layer	√		
Platforms	Grooved board made of solid wood			
A se a la a sissa se	Construction elements - 800 mm in ground	√		
Anchoring	Powder coated steel post - 800 mm in ground			
O	Stainless steel			
Chain	Galvanized steel			
Slings	Stainless steel with bearings			
	Flat with aluminum core, covered with rubber, certified			
Seats	Bucket with aluminum core, covered with rubber, certified			
	Rope "Birds nest" with metal core, certified			
Spring	20 x 200 x 400 mm - certified			

 $\label{thm:colors} \mbox{Proposal visualisation. Colors can be different. Ask for available options.}$

In relation to free fall height / HIC, norm PN-EN 1176-1 allow the following impact absorbing surfaces.

	absorbing duriaces.					
Materiał	Grain size [mm]	Depth [mm]	Critical fall height [mm]			
Turf	-	-	≤1000			
Bark	20 - 80	200	≤2000			
Dark	20 - 60	300	≤3000			
Wood chips	5 - 30	200	≤2000			
	3 - 30	300	≤3000			
Sand	0,2 - 2	200	≤2000			
	0,2 - 2	300	≤3000			
Gravel	2 - 8	200	≤2000			
	2-0	300	≤3000			
Other	as tested to HIC	as tested				

It is required to put particular emphasis on the level of loose surface material, fill in to the proper level regularly and remove the items that may cause injury (glass, loose stones, sticks and other loose objects).